## **CURRENTLY PENDING CLAIMS**

- 1. (Currently Amended) An emanator for evaporation of a liquid therefrom, the emanator comprising:
  - a first material; and
- a second material that is disposed adjacent to said first material; wherein <u>said second material</u> is a <u>different material than said first material</u>, and the emanator is configured such that a liquid travels through the emanator at a rate no less than a rate at which it would travel through said first material alone and no less than a rate at which it would travel through said second material alone.
- 2. (Original) The emanator of claim 1, wherein the emanator is configured such that said liquid travels through the emanator at a rate faster than a rate at which it would travel through said first material alone and faster than a rate at which it would travel through said second material alone.
- 3. (Original) The emanator of claim 1, wherein said first material contacts said second material.
- 4. (Original) The emanator of claim 1, said first material comprising at least one of polyethylene, polypropylene, polyester and nylon.
- 5. (Original) The emanator of claim 1, said second material comprising at least one of polyethylene, polypropylene, polyester and nylon.
- 6. (Original) The emanator of claim 1, said first material comprising nylon and said second material comprising polypropylene.
  - 7. (Canceled)
  - 8. (Original) The emanator of claim 1, the liquid comprising liquid fragrance.
  - 9. (Currently Amended) An air freshener comprising: a source of a liquid fragrance; and

an emanator in fluid communication with said source of said liquid fragrance, said emanator comprising:

a first material through which said liquid fragrance has a first travel rate; and

a second material through which said liquid fragrance has a second travel rate, said second material contacting said first material;

wherein <u>said second material is a different material than said first material, and</u> the emanator is configured such that said liquid fragrance has a third travel rate through the emanator, said third travel rate no less than said first travel rate and said second travel rate.

- 10. (Original) The air freshener of claim 9, wherein the emanator is configured such that said third travel rate is greater than said first travel rate and said second travel rate.
- 11. (Original) The air freshener of claim 9, said first material comprising at least one of polyethylene, polypropylene, polyester and nylon.
- 12. (Original) The air freshener of claim 9, said second material comprising of at least one of polyethylene, polypropylene, polyester and nylon.
- 13. (Original) The air freshener of claim 9, said first material comprising nylon and said second material comprising polypropylene.

## 14-22. (Canceled)

23. (Currently Amended) A refill for an air freshener, the refill comprising:

a source of a liquid fragrance; and

an emanator in contact with said source of said liquid fragrance, said emanator

comprising:

a first material; and

a second material contacting said first material;

wherein <u>said second material</u> is a different material than said first material, and the emanator is configured such that said liquid fragrance travels through said emanator at a rate no less than a rate at which it would travel through said first material alone and no less than a rate at which it would travel through said second material alone.

24. (Original) The refill of claim 23, wherein the emanator is configured such that said liquid fragrance travels through said emanator at a rate faster than a rate at which it would travel through said first material alone and faster than a rate at which it would travel through said second material alone.